

MS4 Annual Report/Interim Progress Certification 2025

version 1.0

(Submission #: HQB-0KP2-NFABM, version 1)

Digitally signed by:
nFormNY
dec0117pw5web.svc.ny.gov
Date: 2025.03.12 10:52:49 -04:00
Reason: Copy Of Record
Location: Albany, New York

Details

Alternate Identifier NYR20A138

Submission ID HQB-0KP2-NFABM

Form Input

MS4 Operator Information

Municipality Name or Legal Entity Name

Village of Orchard Park

Permit ID #:

NYR20A138

MS4 Operator Type

Traditional land use control

Traditional Land Use Control

Village

Traditional Land Use Control

Traditional land use control MS4 Operator requirements are found in Part VI of the MS4 General Permit.

Legal Municipal/Entity Mailing address

4295 S Buffalo St

Orchard Park, NY 14127

Erie

Ranking Official

Official Title	First and Last Name	Phone	Email
Mayor	Jo Ann Litwin Clinton	7166629327	jlitwin@litwincastle.com

Report Preparer

Report Preparer Title	First and Last Name	Phone	Email
Other: Deputy, Village Office	Shannon Nichols	716-662-9327	deputy@orchardparkvillage.org

Stormwater Program Coordinator

Coordinator Title	First and Last Name	Phone	Email
Stormwater Program Coordinator	Emery Wittmeyer	716-662-3866	dpw@orchardparkvillage.org

Part IV

Was the information in this section completed as part of a coalition/group?

Yes

MS4 General Permit Resources

Use the following webpages for more information on the permit and fact sheet:

[MS4 Permit Webpage](#)

[MS4 Toolbox](#)

SWMP Plan

Annually: Have the alternative implementation agreements in the SWMP Plan been updated? (Part IV.A.1.e.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

The Western NY Stormwater Coalition's current 5 year Memorandum of Agreement ends 12/31/2025; updates will be addressed prior to finalizing.

Annually: Has the SWMP been updated? (Part IV.B.3.)

Yes

Mapping

Annually: Has the comprehensive system mapping been updated? (Part IV.D.)

Yes

What tools are used to satisfy the comprehensive system mapping requirements? (e.g. paper maps, GIS, web mappers, etc.)

GIS, full-size system maps, map books, online stormwater mapper

Within three (3) years of the EDC: Has Phase I of the comprehensive mapping been completed? (Part IV.D.2.a.)

No

Please clarify the reason for selecting "No" for this item.

Compliance deliverable is not due

Within five (5) years of the EDC: Has Phase II of the comprehensive mapping been completed? (Part IV.D.2.b.)

No

Please clarify the reason for selecting "No" for this item.

Compliance deliverable is not due

Legal Authority

Within three (3) years of the EDC: For newly designated MS4 Operators, has adequate legal authority been developed and implemented? (Part IV.E.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Not a newly designated MS4 Operator

Please enter any comments related to the questions in this section below:

NONE PROVIDED

Part V

In Year 5: Has the SWMP Plan been evaluated? (Part V.C.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

Part VI

Which MCMs in this Part were completed as a coalition/group, if any?

NONE PROVIDED

Minimum Control Measure 1

Within three (3) years of the EDC: Have the focus areas been identified? (Part VI.A.1.a.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

Within three (3) years of the EDC: Have the target audience(s) and associated pollutant generating activities been identified? (Part VI.A.1.b.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

Within three (3) years of the EDC: Have the education and outreach topics been identified and how the education and outreach topics will reduce the potential for pollutants explained? (Part VI.A.1.c.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

In Year 5: Has the method(s) used for distribution of educational messages been identified? (Part VI.A.2.a.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

In Year 5: Has one educational message been delivered to each target audience(s) for each focus area based on the education and outreach topic(s)? (Part VI.A.2.b.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

In Year 4 and Year 5: Have target audiences, focus areas, and/or education and outreach topics been updated? (Part VI.A.2.c.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

Please enter any comments related to the questions in this section below:

NONE PROVIDED

Minimum Control Measure 2

Annually: Has an opportunity for public involvement/participation in the development and implementation of the SWMP been provided? (Part VI.B.1.a.)

Yes

What was the opportunity for public involvement/participation in the SWMP?

Public hearings or meetings

Annually: Has the public been informed about the opportunity for their involvement in the development and implementation of the SWMP and how they can get involved? (Part VI.B.1.b.)

Yes

What is the method(s) used for distribution to inform the public of the opportunity for involvement?

Electronic materials (e.g., websites, email listservs)

Annually: Has an opportunity to review and comment on the publicly available SWMP Plan been provided? (Part VI.B.2.a.)

Yes

Annually: Has an opportunity to review and comment on the draft annual report been provided? (Part VI.B.2.b.i.)

Yes

What opportunity for review and comment on the draft annual report has been provided?

Posting of draft Annual Report on a public website

Presentation of the draft Annual Report

Annually: Have the comments received on the SWMP Plan been summarized? (Part VI.B.2.c.i.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

There were no comments received

Annually: Have the comments received on the draft annual report been summarized? (Part VI.B.2.c.i.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

There were no comments received

Please enter any comments related to the questions in this section below:

The Annual Report & SWMP Plan will be announced at a Village Board meeting in April.

Minimum Control Measure 3

Within three (3) years of the EDC: Has an inventory of monitoring locations been developed? (Part VI.C.1.c.i.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

In Year 4 and Year 5: Has the monitoring location inventory been updated? (Part VI.C.1.c.ii.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

Within three (3) years of the EDC: Have monitoring locations been prioritized? (Part VI.C.1.d.i.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

In Year 4 and Year 5: Has the monitoring location prioritization been updated? (Part VI.C.1.d.iii.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

Within two (2) years of the EDC: Has a monitoring locations inspection and sampling program been developed and implemented? (Part VI.C.1.e.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

In Year 5: Have all the monitoring locations been inspected? (Part VI.C.1.e.i.a))

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

How many monitoring locations have been inspected?

0

In Year 5: Has training on the MS4 Operator's monitoring locations inspection and sampling procedures been provided? (Part VI.C.1.e.ii.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

In Year 3, Year 4, and Year 5: Have the names, titles, and contact information for the individuals who have received monitoring locations inspection and sampling training been updated? (Part VI.C.1.e.iii.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

In Year 3, Year 4, and Year 5: Have the monitoring locations inspection and sampling procedures been updated? (Part VI.C.1.e.iv.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

Within two (2) years of the EDC: Has an illicit discharge track down program been developed and implemented? (Part VI.C.2.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

In Year 5: Has training on the MS4 Operator's illicit discharge track down procedures prior to conducting illicit discharge track down been provided? (Part VI.C.2.b.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

In Year 3, Year 4, and Year 5: Have the names, titles, and contact information for the individuals who have received illicit discharge track down procedures training been updated? (Part VI.C.2.c.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

In Year 3, Year 4, and Year 5: Have the illicit discharge track down procedures been reviewed and updated? (Part VI.C.2.d.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

Within two (2) years of the EDC: Has an illicit discharge elimination program been developed and implemented? (Part VI.C.3.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

In Year 5: Has training on the MS4 Operator's illicit discharge elimination procedures prior to conducting illicit discharge elimination been provided? (Part VI.C.3.b.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

In Year 3, Year 4, and Year 5: Have the names, titles, and contact information for the individuals who have received illicit discharge elimination procedures training been updated? (Part VI.C.3.c.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

In Year 3, Year 4, and Year 5: Have the illicit discharge elimination procedures been reviewed and updated? (Part VI.C.3.d.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

Please enter any comments related to the questions in this section below:

50% of monitoring locations were inspected in 2023.

Minimum Control Measure 4

Within one (1) year of the EDC: Has a construction oversight program been developed and implemented? (Part VI.D.3)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

No active construction sites in Village - we do have a construction oversight program for future projects.

In Year 5: Has training on the MS4 Operator's construction oversight procedures prior to conducting construction oversight been provided? (Part VI.D.3.b.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

In Year 2, Year 3, Year 4, and Year 5: Have the names, titles, and contact information for the individuals who have received construction oversight procedures training been updated? (Part VI.D.3.c.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

In Year 2, Year 3, Year 4, and Year 5: Have the construction oversight procedures been reviewed and updated? (Part VI.D.3.e.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

Annually: Has the inventory of construction sites been updated? (Part VI.D.4.b.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

There are no construction sites in the Village

How many construction sites are on the inventory?

0

Within one (1) year of the EDC: Have construction sites been prioritized? (Part VI.D.5.a.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

No, there are no active construction sites.

In Year 2, Year 3, Year 4, and Year 5: Has the construction site prioritization been updated? (Part VI.D.5.c.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

There were no active construction sites.

Within three (3) years of the EDC: Have the individuals responsible for reviewing SWPPPs for acceptance received four (4) hours of Department endorsed training in proper erosion and sediment control principles from a Soil & Water Conservation District, or other Department endorsed entity prior to conducting SWPPP reviews and/or approvals? (Part VI.D.6.a.i.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

Annually: Have the names, titles, and contact information for the individuals who have received four (4) hours of Department endorsed training in proper erosion and sediment control principles from a Soil & Water Conservation District, or other Department endorsed entity, for individuals responsible for reviewing SWPPPs been updated? (Part VI.D.6.d.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

Are pre-construction meetings conducted prior to the commencement of construction activity? (Part VI.D.7.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

There are no active construction sites in the Village, however meetings will be conducted when we have them.

Within three (3) years of the EDC: Have the individuals responsible for construction site inspections received four (4) hours of Department endorsed training in proper erosion and sediment control principles from a Soil & Water Conservation District, or other Department endorsed entity prior to conducting construction site inspections? (Part VI.D.8.a.i.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

No, but Village employees will be attending on June 18, 2025.

Annually: Have all sites with construction activity identified in the inventory been inspected during active construction after the pre-construction meeting, or sooner if deficiencies are noted that require attention? (Part VI.D.8.c.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

There are no construction sites in the Village.

How many construction sites have been inspected?

0

Annually: Have the names, titles, and contact information for the individuals who have received four (4) hours of Department endorsed training in proper erosion and sediment control principles from a Soil & Water Conservation District, or other Department endorsed entity, for individuals responsible for construction site inspections been updated? (Part VI.D.8.d.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

No, there are no active construction sites in the Village.

Are final construction site inspections conducted? (Part VI.D.9.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

There are no active construction sites in the Village, however final inspections will be conducted when we have them.

Please enter any comments related to the questions in this section below:

NONE PROVIDED

Minimum Control Measure 5

Annually: Has the inventory of post-construction SMPs been updated? (Part VI.E.2.c.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

There are no post-construction SMPs in the Village.

How many post-construction SMPs are on the inventory?

0

Within five (5) years of the EDC: Have the required components been included in the post-construction SMP inventory? (Part VI.E.2.d.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

There are no post-construction SMPs in the Village.

Within one (1) year of the EDC: Has a post-construction SMP inspection and maintenance program been developed and implemented? (Part VI.E.4.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

There are no post-construction SMPs in the Village.

Has each post-construction SMP identified in the inventory been inspected at the required frequency? (Part VI.E.4.a.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

There are no post-construction SMPs in the Village.

How many post-construction SMPs have been inspected at the required frequency?

0

In Year 5: Has training on the MS4 Operator's post-construction SMP inspection and maintenance procedures prior to conducting post-construction SMP inspection and maintenance been provided? (Part VI.E.4.b.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

There are no post-construction SMPs in the Village.

Annually: Have names, titles, and contact information for the individuals who have received post-construction SMP inspection and maintenance procedures training updated? (Part VI.E.4.c.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

There are no post-construction SMPs in the Village.

In Year 2, Year 3, Year 4, and Year 5: Have the post-construction SMP inspection and maintenance procedures been reviewed and updated? (Part VI.E.4.d.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

There are no post-construction SMPs in the Village.

Please enter any comments related to the questions in this section below:

NONE PROVIDED

Within three (3) years of the EDC: Have best management practices (BMPs) been incorporated into the municipal facility program and municipal operations program? (Part VI.F.1.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

Within three (3) years of the EDC: Has a municipal facility program been developed and implemented? (Part VI.F.2.a.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

In Year 5: Has training on the MS4 Operator's municipal facility procedures prior to conducting municipal facility procedures been provided? (Part VI.F.2.a.ii.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

In Year 4 and Year 5: Have the names, titles, and contact information for the individuals who have received municipal facility procedures training been updated? (Part VI.F.2.a.iii.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

In Year 4 and Year 5: Have the municipal facility procedures been updated? (Part VI.F.2.a.iv.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

Within two (2) years of the EDC: Has a municipal facility inventory been developed? (Part VI.F.2.b.i.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

In Year 3, Year 4, and Year 5: Has the municipal facility inventory been updated? (Part VI.F.2.b.ii.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

Within three (3) years of the EDC: Have the municipal facilities been prioritized? (Part VI.F.2.c.i.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

In Year 4 and Year 5: Has the municipal facility prioritization been updated? (Part VI.F.2.c.iii.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

Within five (5) years of the EDC: Has a municipal facility specific SWPPP for each high priority municipal facility been developed? (Part VI.F.2.d.i.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

How many municipal facility specific SWPPPs for high priority municipal facilities have been developed?

0

In Year 5: Has all wet weather visual monitoring of the monitoring locations at all high priority municipal facilities been conducted? (Part VI.F.2.d.ii.a))

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

At how many high priority municipal facilities was wet weather visual monitoring completed?

0

At how many monitoring locations was wet weather visual monitoring completed?

0

In Year 5: Has a comprehensive site assessment for each high priority municipal facility been completed? (Part VI.F.2.d.ii.c))

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

At how many high priority municipal facilities was a comprehensive site assessment completed?

0

In Year 5: Has a comprehensive site assessment for each low priority municipal facility been completed? (Part VI.F.2.e.ii.c))

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

At how many low priority municipal facilities was a comprehensive site assessment completed?

0

Within three (3) years of the EDC: Has a municipal operations program been developed? (Part VI.F.3.a.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

In Year 5: Has training on the MS4 Operator's municipal operations procedures prior to conducting municipal operations been provided? (Part VI.F.3.a.ii.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

In Year 4 and Year 5: Have the names, titles, and contact information for the individuals who have received municipal operations procedures training been updated? (Part VI.F.3.a.iii.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

In Year 4 and Year 5: Have the municipal operations procedures been reviewed and updated? (Part VI.F.3.a.iv.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

Within three (3) years of the EDC: Have catch basins in need of inspection been identified? (Part VI.F.3.c.i.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

Within three (3) years of the EDC: Has catch basin inspection information been inventoried? (Part VI.F.3.c.ii.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

In Year 5: Have all streets, bridges, parking lots, and right of ways been swept? (Part VI.F.3.d.i.a))

Yes

Annually: Have all streets in business districts and commercial areas been swept? (Part VI.F.3.d.i.b))

Yes

Within five (5) years of the EDC: Have roads, bridges, parking lots, and right of way maintenance specific BMPs been implemented? (Part VI.F.3.d.ii.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

Within five (5) years of the EDC: Have winter road maintenance specific BMPs been implemented? (Part VI.F.3.d.iii.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

Please enter any comments related to the questions in this section below:

NONE PROVIDED

Part VIII

Does the MS4 Operator discharge to an impaired water listed in Appendix C of GP-0-24-001?

Yes

For which pollutant(s) is the waterbody impaired? Select the pollutants for all the impaired waters listed in Appendix C of GP-0-24-001 to which the MS4 Operator discharges.

Phosphorus

Silt/Sediment

Which requirements in this Part were completed as a coalition/group, if any?

NONE PROVIDED

Phosphorus

Within three (3) years of the EDC: Has the comprehensive system mapping been updated, in a geographic information system (GIS), to include MS4 infrastructure and sewershed information for each MS4 outfall and ADA MS4 outfall discharging to a phosphorus impaired water listed in Appendix C? (Part VIII.A.1.a.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

Within three (3) years of the EDC: Has the comprehensive system mapping been updated, in a geographic information system (GIS), to include the listed items for each MS4 outfall discharging to a phosphorus impaired water listed in Appendix C? (Part VIII.A.1.b.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

Within three (3) years of the EDC: Has the comprehensive system mapping been updated, in a geographic information system (GIS), to include ADA MS4 outfalls discharging to a phosphorus impaired water listed in Appendix C? (Part VIII.A.1.c.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

Minimum Control Measure 1

Twice a year, in Year 4 and Year 5: Have educational messages with information specific to phosphorus been provided? (Part VIII.A.2.b.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

Minimum Control Measure 3

Within five (5) years of the EDC: Has the number of each item listed in Part VIII.A.1.b. been included on the MS4 outfall inventory for each associated MS4 outfall? (Part VIII.A.4.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

Minimum Control Measure 4

How many high priority construction sites discharge to the phosphorus impaired water(s)?

0

Minimum Control Measure 6

In Year 4 and Year 5: Have all streets located in sewersheds discharging to phosphorus impaired segments been swept? (Part VIII.A.7.a.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

What percentage of streets located in sewersheds discharging to phosphorus impaired segments have been swept?

0

Silt/Sediment

Within three (3) years of the EDC: Has the comprehensive system mapping been updated, in a geographic information system (GIS), to include MS4 infrastructure and sewershed information for each MS4 outfall and ADA MS4 outfall discharging to a silt/sediment impaired water listed in Appendix C? (Part VIII.B.1.a.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

Within three (3) years of the EDC: Has the comprehensive system mapping been updated, in a geographic information system (GIS), to include facilities with SPDES permit coverage under the MSGP with stormwater discharges applicable under Sector C, E, L, or J with facility contact? (Part VIII.B.1.b.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

Within three (3) years of the EDC: Has the comprehensive system mapping been updated, in a geographic information system (GIS), to include ADA MS4 outfalls discharging to a silt/sediment impaired water listed in Appendix C? (Part VIII.B.1.c.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

Minimum Control Measure 1

In Year 4 and Year 5: Have individuals involved in construction activity within the sewershed boundary been educated on the use of post-construction SMPs that are intended to collect and separate silt and sediment debris from stormwater before discharging to waters of the State? (Part VIII.B.2.b.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

Minimum Control Measure 3

Within five (5) years of the EDC: Has the number of each item listed in Part VIII.B.1.b. been included on the MS4 outfall inventory for each associated MS4 outfall? (Part VIII.B.4.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

Minimum Control Measure 4

How many high priority construction sites discharge to the silt/sediment impaired water(s)?

0

Minimum Control Measure 6

In Year 4 and Year 5: Have all streets located in sewersheds discharging to silt/sediment impaired segments been swept? (Part VIII.B.7.a.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Compliance deliverable is not due

What percentage of streets located in sewersheds discharging to silt/sediment impaired segments have been swept?

0

Please enter any comments related to the questions in this section below:

NONE PROVIDED

Part IX

Does the MS4 Operator discharge to a TMDL listed in Table 3 of GP-0-24-001?

No

Please enter any comments related to the questions in this section below:

NONE PROVIDED

Interim Progress Status

Interim Progress Resources

Use the following webpages for more information on the permit and fact sheet:

[MS4 Permit Webpage](#)

[MS4 Toolbox](#)

Have you reviewed compliance items due within two years of EDC?

Yes

Have you reviewed compliance items due within three years of EDC?

Yes

Have you reviewed compliance items due within four years of EDC?

Yes

Have you reviewed compliance items due within five years of EDC?

Yes

Have you reviewed compliance items which need to be completed routinely (annually, every five (5) years, etc.)?

Yes

Please enter any comments related to the questions in this section.

NONE PROVIDED

Certification

The ranking elected official or Principal Executive Officer for the MS4 Operator will be signing the form.

Yes

As the Ranking Elected Official or Principal Executive Officer, please download the certification form using the link below. Complete and sign the certification. Then, upload the certification form to this Interim Progress Certification and/or Annual Report.

[Certification Form](#)

Attach completed certification form.

2025.03.12 Signed MS4 Form.pdf - 03/12/2025 10:52 AM

Comment

NONE PROVIDED